

## Mulligan Concept References

### Randomized controlled trials:

1. **Collins, N., B.** (2004). The initial effects of a Mulligan's mobilisation with movement technique on dorsiflexion and pain in subacute ankle sprains. *Manual Therapy*, 9, 77 - 82.
2. **Kochar, M..** (2002). Effectiveness of a specific physiotherapy regimen on patients with tennis elbow. *Physiotherapy*, 88(6), 333-341.
3. **Vicenzino, B..** (2001). Specific manipulative therapy treatment for chronic lateral epicondylalgia produces uniquely characteristic hypoalgesia. *Manual Therapy*, 6(4), 205-212.
4. **Hall, TM.** (2005) Mulligan Bent Leg Raise Technique – A preliminary randomised trial of immediate effects after a single intervention. *Manual Therapy* (accepted for publication)
5. **Paungmali, A.** (2003). Hypoalgesic and Sympathoexcitatory effects of Mobilization with Movement for lateral epicondylalgia. *Physical Therapy*, 83(4), 374-383.
6. **Paungmali, A.** (2004). Naloxone fails to antagonize initial hypoalgesic effect of a manual therapy treatment for lateral epicondylalgia. *Journal of Manipulative and Physiological therapeutics*, 27, 180-185.

### Quasi-experimental trials:

7. **Abbott, JH.** (2001). Mobilization with movement applied to the elbow affects shoulder range of movement in subjects with lateral epicondylalgia. *Manual Therapy*, 6(3), 170-177.
8. **Abbott, J. H.** (2001). The initial effects of an elbow mobilization with movement technique on grip strength in subjects with lateral epicondylalgia. *Manual Therapy*, 6(3), 163-169.
9. **Paungmali, A.** (2003). Hypoalgesia induced by elbow manipulation in lateral epicondylalgia does not exhibit tolerance. *The Journal of Pain*, 4(8), 448-454.

### Single-case report:

10. **Abbott, JH.** (1998). The effect of elbow mobilisation with movement on shoulder impairment and functional limitation: A case report. *Journal of Manual and Manipulative Therapy*, 6(4), 208.
11. **Backstrom, KM.** (2002). Mobilization With Movement as an Adjunct Intervention in a Patient With Complicated De Quervain's Tenosynovitis: A Case Report. *Journal of Orthopaedic and Sports Physical Therapy*, 32(3), 86-94.

12. **Carson, PA.** (1999). The rehabilitation of a competitive swimmer with an asymmetrical breaststroke. *Manual Therapy*, 4(2), 100-106.
13. **Folk, B.** (2001). Traumatic thumb injury management using mobilization with movement. *Manual Therapy*, 6(3), 178-182.
14. **Horton, SJ.** (2002). Acute locked thoracic spine: treatment with a modified SNAG. *Manual Therapy*, 7(2), 103-107.
15. **Hsieh, CY.** (2002). Mulligan's mobilization with movement for the thumb: a single case report using magnetic resonance imaging to evaluate the positional fault hypothesis. *Manual Therapy*, 7(1), 44-49.
16. **Lincoln, J.** (2000). Clinical instability of the upper cervical spine. *Manual Therapy*, 5(1), 41-46.

### **Single-case study**

17. **O'Brien, T.** (1998). A study of the effects of Mulligan's mobilization with movement treatment of lateral ankle pain using a case study design. *Manual Therapy*, 3(2), 78-84.
18. **Vicenzino, B.** (1995). Effects of a novel manipulative physiotherapy technique on tennis elbow: a single case study. *Manual Therapy*, 1, 30-35.

### **Case series**

19. **Hall TM.** (2005) Mulligan's traction straight leg raise for low back pain: A preliminary study investigating range of motion. *Journal of Manual & Manipulative Therapy* (submitted for publication)
20. **Hetherington, B.** (1996). Lateral ligament strains of the ankle, do they exist? *Manual Therapy*, 1(5), 274-275.
21. **Kavanagh, J.** (1999). Is there a positional fault at the inferior tibiofibular joint in patients with acute or chronic ankle sprains compared to normals? *Manual Therapy*, 4(1), 19-24.
22. **Exelby, L.** (2001). The locked lumbar facet joint: intervention using mobilizations with movement. *Manual Therapy*, 6(2), 116-121.
23. **Wilson, E.** (1997). Central facilitation and remote effects: treating both ends of the system. *Manual Therapy*, 2(2), 165-168.

### **Non-experimental study**

24. **Konstantinou, K.** (2002). The use and reported effects of mobilization with movement techniques in low back pain management; a cross-sectional descriptive survey of physiotherapists. *Manual Therapy*, 7(4), 206-214.

## International conference papers

25. **Dimitrova EB.** (2000) Effects of Mulligan's Pain Release Phenomenon techniques in cases of achilles peritendonitis. In Singer KP, Proceedings of the 7th Scientific Conference of IFOMT, The University of Western Australia, Perth
26. **Hall, TM.** (2003). Cervicogenic headache Which motion segments are involved? Paper presented at the In Proceedings of the 13th Biennial Conference of the Musculoskeletal Physiotherapy Association of Australia.
27. **Hall TM.** (2005) A placebo controlled trial investigating the effectiveness of Mulligan C1/C2 rotation SNAG in cervicogenic headache In Proceedings of the 14th Biennial Conference of the Musculoskeletal Physiotherapy Association of Australia
28. **Konstantinou, K.I** (2003) The immediate effects of flexion mobilisations with movement manual techniques on range of movement and pain in low back pain patients. 14th WCPT Congress, Spain Barcelona.(CD)
29. **Mann, TW.** (2002). Efficacy of the Mulligan Concept: A review of the evidence base. Paper presented at the IN Proceedings of the 39th Annual Conference of the Malaysian Physiotherapy Association.
30. **Mercer, S.** (2001). Meniscoids and manual therapy of the ankle. Paper presented at the Proceedings of the 12th Biennial conference of the Musculo-skeletal Physiotherapy Association of Australia.
31. **Mulligan, BR.** (1988). SNAGS. Paper presented at the Proceedings of IFOMT.
32. **Vicenzino, B.** (2001). Preliminary evidence of a force threshold required to produce manipulation-induced analgesia. Paper presented at the Proceedings of the 12th Biennial Conference of the Musculo-skeletal Physiotherapy Association of Australia.

## National conference paper

33. **Mack, J.** (1997). A new approach in the treatment of tennis elbow. Paper presented at the In Proceedings of NZSM, Christchurch "partners in Action".

## Other peer reviewed articles

34. **Edmonston, SJ.** (1997). Thoracic spine, anatomical and biomechanical considerations for manual therapy. *Manual Therapy*, 2(3), 132-143.
35. **Exelby, L.** (1995). Mobilisation with movement: a personal view. *Physiotherapy*, 81(12), 724-729.
36. **Exelby, L.** (1996). Peripheral mobilisation with movement. *Manual Therapy*, 1(13), 118-126.

37. **Exelby, L.** (2002). The Mulligan Concept: Its application in the management of spinal conditions. *Manual Therapy*, 7(2), 64-70.
38. **Hall, TM.** (2001). Effects of the Mulligan traction straight leg raise technique on range of movement. *Journal of Manual & Manipulative Therapy*, 9(3), 128-133.
39. **Hall TM.** (2004) The flexion-rotation test and active cervical mobility – A comparative measurement study in cervicogenic headache. *Manual Therapy* 9(4): 197-204
40. **Hearn, A.** (2002). Cervical Snags: a biomechanical analysis. *Manual Therapy*, 7(2), 71-79.
41. **Johnson J.** (1997) Mobilisation with movement: an adjunct to traditional treatment of lateral epicondylitis. *Journal of Sports Physiotherapy* 1 (25) 76
42. **Mann, T. W.** (2001). Causes of complications from cervical spine manipulation. *Physiotherapy*, 47, 255-266.
43. **McLean, S.** (2002). A pilot study of the manual force levels required to produce manipulation induced hypoalgesia. *Clinical Biomechanics*, 17, 304-308.
44. **Michel, P.** (2000). Total glenohumeral joint replacement: totally different situation. *Manual Therapy*, 5(2), 108-112.
45. **Miller, J.** (1999). The Mulligan Concept – the next step in the evolution of manual therapy. *Canadian Physiotherapy Association Orthopaedic Division Review*, March/April 9-13.
46. **Miller, J.** (2000). Mulligan concept – management of tennis elbow. *Canadian Physiotherapy Association Orthopaedic Division Review*, May/June 45-46.
47. **Mulligan, BR.** (1957). The acute wryneck. *New Zealand Journal of Physiotherapy*, May 1957, May, 1957.
48. **Mulligan, BR.** (1974). The painful stiff shoulder. *New Zealand Journal of Physiotherapy*, 4(7).
49. **Mulligan, BR.** (1982). NAGS – Modified mobilisation techniques for the cervical and upper thoracic spines. *New Zealand Journal of Physiotherapy*, August 1982.
50. **Mulligan, BR.** (1989). Pain release phenomenon techniques – PRPS. *New Zealand Journal of Physiotherapy*, April 1989.
51. **Mulligan, BR.** (1992). Extremity joint mobilisations combined with movement. *New Zealand Journal of Physiotherapy*, April 1992.
52. **Mulligan, BR.** (1993). Mobilisation with Movement. *Journal of Manual & Manipulative Therapy*, 1(4), 154-156.

53. **Mulligan, BR.** (1994). Spinal mobilisation with arm movement (further mobilisation with movement). *Journal of Manual & Manipulative Therapy*, 2(2), 75-77.
54. **Mulligan, BR.** (1995). Spinal mobilisation with leg movement (further mobilisation with movement). *Journal of Manual & Manipulative Therapy*, 3(1), 25-27.
55. **Mulligan, BR.** (1996). Mobilisation with movement for the hip joint to restore internal rotation and flexion. *Journal of Manual & Manipulative Therapy*, 4(1), 35-37.
56. **Mulligan, BR.** (1997). Update on spinal mobilisations with leg movement. *Journal of Manual & Manipulative Therapy*, 5(4), 184-187.
57. **Mulligan BR.** (2003) The painful dysfunctional shoulder. A new treatment approach using 'Mobilisation with Movement' *The New Zealand Journal of Physiotherapy* 31 (3) 140-142
58. **Ogince, M.** (2003). Sensitivity and specificity of the flexion rotation test. (Abstract). *Cephalalgia*, 23(7), 678, September.
59. **Rivett, DA.** (1997). Preventing neurovascular complications of cervical spine manipulation. *Physical Therapy Review*, 2, 29-37.
60. **Rivett, DA.** (1998). Negative pre-manipulative vertebral artery testing despite complete occlusion: a case of false negativity? *Manual Therapy*, 3(2), 102-107.
61. **Stevens, G.** (1995). Lateral epicondylitis. *Journal of Manual & Manipulative Therapy*, 3(2), 50-58.
62. **Vicenzino B.** (2003) Lateral epicondylalgia: a musculoskeletal physiotherapy perspective. *Manual Therapy* 8(2) 66-79

### **Non peer reviewed articles**

63. **Wilson, E.** (1994a). Mobilisation with movement: an update. *In Touch*, 73, 10-11.
64. **Wilson, E.** (1994b). Peripheral joint mobilisation with movement and its effects on adverse neural tension. *Journal of the Manipulative Association of Chartered Physiotherapists (UK)*, 2, 35-39.
65. **Wilson, E.** (1995). Mobilisations with movement and adverse neural tension: an exploration of possible links. *Manipulative Physiotherapist* 27:1, 27(1).
66. **Wilson, E.** (1996). Headaches and vertigo: a simple complex. *In Touch*, 6(Winter), 5-9.
67. **Wilson, E.** (1997). SLR: what are we testing? *In Touch* (Summer 1997).
68. **Wilson, E.** (1998). The 1998 Olive Sands memorial lecture: Tenacious elbow, Lateral epicondylalgia. *In Touch*(Autumn 1998)

69. **Wilson, E.** (1998). Case studies in functional anatomy and physiology. In *Touch*, 88, 4-8.

## **Related books**

70. **Hall, TM.** (2003). A chronic case of mechanics elbow. In M. Jones & D. Rivett (Eds.), *In Clinical reasoning for physical therapists*: Churchill Livingstone.
71. **Mulligan, BR.** (1994). SNAGS: Mobilisations of the spine with active movement. In G. Grieve (Ed.), *In Modern Manual Therapy* (2nd ed., pp. 733-743). Edinburgh: Churchill Livingstone.
72. **Mulligan BR.** (2003) *Manual Therapy NAGS SNAGS MWMS etc.* 5th Edition. Plane View services Ltd. New Zealand.
73. **Mulligan BR.** (2003) *Self Treatments for Back, Neck and Limbs.* Plane View Services Ltd. New Zealand
74. **Wilson, E.** (2002). The Mulligan Concept: NAGs, SNAGs, MWMS, etc. In L. Chaitow (Ed.), *In Positional Release Techniques* (2nd ed.). London: Churchill Livingstone.

## **Other language papers**

75. **Beyerlein, C.** (2002). Geschichte der spinalen Manipulation von Hippokrates bis heute. *Krankengymnastik – Zeitschrift für Physiotherapeuten*, 54(11), 1780-1784.
76. **Beyerlein, CH** (2002). Effektivität der Mulligan-Straight-Leg-Raise-Traktionstechnik auf die Beweglichkeit bei Patienten mit Rückenschmerzen. *Manuelle Therapie*, 6, 61-68.
77. **Claassen R./van Dalen P.** Het Mulligan Concept: een veilige en effectieve manier van mobiliseren. *Wetenschappelijk tijdschrift voor Fysische Therapie* (2001) 2(2):7-17

Updated: 01/08/2005